

# **Dynasolve** CU-6

# Urethane cleaner

Dynasolve CU-6 is a unique flushing and cleaning solvent for cured and uncured urethanes. It is nonchlorinated, nonflammable (by U.S. Department of Transportation definition), and nonozone depleting.

## **Cleaning applications**

- · Immersion cleaning of mix heads & spray guns
- Interior lines of dispensing equipment
- Molds

## **Advantages**

- More efficient than acetone, MEK, & other solvents
- Safe & easy to work with
- · High resin loading capacity allows for reuse.

#### **Specifications**

- Specific gravity: 1.06
- Boiling point: >392°F (>200°C)
- Flash point: 192°F (89°C)

#### **Materials removed**

- Foams & cast elastomers
- Adhesives
- Crystallized isocyanate

## **Typical usage parameters**

- Room temperature soaking/immersion
- Heat to 130°-150°F (54°-65°C) for faster results.
- Use like other flushing solvents.

# **Material compatibility**

Recommended materials including

- All metals
- Teflon®
- Polyethylene & polypropylene

Avoid materials including

- Viton<sup>®</sup>
- PVC
- · Liquid isocyanate



The results of insight

# Eastman Chemical Company Corporate Headquarters

P.O. Box 431 Kingsport, TN 37662-5280 U.S.A.

Telephone: U.S.A. and Canada, 800-EASTMAN (800-327-8626) Other Locations, (1) 423-229-2000 Fax: (1) 423-229-1193

#### Eastman Chemical Latin America

9155 South Dadeland Blvd. Suite 1116 Miami, FL 33156 U.S.A.

Telephone: (1) 305-671-2800 Fax: (1) 305-671-2805

#### Eastman Chemical B.V.

Fascinatio Boulevard 602-614 2909 VA Capelle aan den IJssel The Netherlands

Telephone: (31) 10 2402 111 Fax: (31) 10 2402 100

# Eastman (Shanghai) Chemical Commercial Company, Ltd.

Building C, No. 399 Shengxia Road, Pudong New District 201210, Shanghai, P.R. China

Telephone: (86) 21 6120-8700 Fax: (86) 21 5027-9229

#### Eastman Chemical Japan Ltd.

MetLife Aoyama Building 5F 2-11-16 Minami Aoyama Minato-ku, Tokyo 107-0062 Japan

Telephone: (81) 3-3475-9510 Fax: (81) 3-3475-9515

#### Eastman Chemical Asia Pacific Pte. Ltd.

9 North Buona Vista Drive #05-01 The Metropolis Tower 1 Singapore 138588

Telephone: (65) 6831-3100 Fax: (65) 6732-4930

www.eastman.com www.dynaloy.com **Dynaloy, LLC** 6445 Olivia Lane Indianapolis, IN 46226 U.S.A.

Telephone: (1) 317-788-5694 U.S. only: 800-669-5709

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company makes no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of their suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2014 Eastman Chemical Company. Eastman and The results of insight are trademarks of Eastman Chemical Company. Teflon and Viton are trademarks of E. I. duPont. Dynaloy, LLC is a subsidiary of Eastman Chemical Company.